


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	102	(device\$1 peripheral) with (property properties parameter\$1 info\$6) with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:51
L2	3	1 and MIB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:52
L3	3	1 and 719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:53
L4	0	1 and 710/8-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:52
S1	162	((instantiat\$3 initializ\$3 load\$3) with driver\$1) same run\$1time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:33
S2	29	S1 and ((device\$1 peripheral\$1) with (parameter\$1 character\$5)) and service\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:35
S3	121	S1 and (driver\$1 with (file\$1 script\$1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:38
S4	32	S3 and ((device\$1 peripheral\$1) with (parameter\$1 character\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:36
S5	34	S3 and ((device\$1 peripheral\$1) with (parameter\$1 character\$5 properties property))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:38

S6	211	((instantiat\$3 initializ\$3 load\$3) with driver\$1) same (run\$1time plug\$1and\$1play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:37
S7	154	S6 and (driver\$1 with (file\$1 script\$1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:38
S8	41	S7 and ((device\$1 peripheral\$1) with (parameter\$1 character\$5 properties property))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:47
S9	7812	(associat\$3 link\$3 refer\$5) with driver\$1 with (file\$1 component\$1 module\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:48
S10	40	(associat\$3 link\$3 refer\$5) with driver\$1 with (file\$1 component\$1 module\$1) same run\$1time\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:48
S11	738	719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 07:54
S12	24	S11 and (((object\$1 component\$1 module\$1 file\$1 script\$1 xml) with driver\$1) same run\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 07:57
S13	13	710/8-10.ccls. and (((object\$1 component\$1 module\$1 file\$1 script\$1 xml) with driver\$1) same run\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 08:07
S14	2	"6662241".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 08:43
S15	256	(driver\$1 with (xml file\$1 script\$1)) and 719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:41

S16	20	S15 and (instantiat\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:35
S17	19	S15 and (driver\$1 with run\$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:35
S18	8	S15 and ((base root) adj2 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:35
S19	192	driver\$1 with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:41
S20	70	S19 and run\$1time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:42
S21	3	S20 and 719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:42
S22	63	S19 and run\$1time and device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:42
S23	2	device\$1 and (driver\$1 with xml with script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:26
S24	101	device\$1 and (driver\$1 with (software component\$1 object\$1)) and (xml same script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:26
S25	174	(driver\$1 with xml) and (device\$1 peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:37

S26	43	S25 and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:37
-----	----	----------------	---	----	-----	------------------


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)
 [Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 258,000 for xml device property driver . (0.09 seconds)

[List]XML: properties and functionalities ?

... Previous message: [List]XML: properties and functionalities ? ... number=""
 range="" maxData="" /> </subdevice> </device> <devices> <drivers> <driver ...
www.linuxincontrol.org/pipermail/list/2003-June/000025.html - 11k - [Cached](#) - [Similar pages](#)

TELEO FLASH

... FTDI Driver (Windows and Mac only) Teleo XML Server ... Each Device present
 on a module has Properties which control the behavior of the device in some ...
www.makingthings.com/products/documentation/teleo_flash_user_guide/teleo_flash_user_guide.html - 36k -
[Cached](#) - [Similar pages](#)

[Foomatic] Mixed mode omni in foomatic

... a new job > property that tells the XML device what > device XML file to use.
 ... More or less only the definition of the command line in the driver XML ...
www.linuxprinting.org/pipermail/foomatic-devel/2002q3/000990.html - 13k - [Cached](#) - [Similar pages](#)

What is the SLiC framework

... Enabling developers to rapidly integrate and share device driver code, ...
 SLiC provides a standardized interface to XML configuration files. ...
itcofe.web.cern.ch/itcofe/Projects/SLiC/Overview/SLiC_overview_online.html - 12k - [Cached](#) - [Similar pages](#)

Driver Configuration Definition File

... 2 <category>/Devices/Digital</category> <property valueType="string" ...
 button driver, there is no serial port, but we include this property definition ...
www.vrjuggler.org/gadgeteer/1.0-beta2/device.driver.guide/device.driver.guide/ch07s02.html - 10k - [Cached](#) - [Similar pages](#)

Interaction Design System Use of XML

... This XML is handed off to the Interaction Device's associated XSL Driver. ...
 This is held in a Device Signature as a property of the Presentation ...
www.idealliance.org/papers/xml2001papers/tm/WEB/05-02-02/idsPaper.htm - 76k - [Cached](#) - [Similar pages](#)

Summit Soft Consulting - Device Drivers

... handle rendering into the XML/SVG file respectively defines the user settable
 properties ... Development of an USB WDM device driver for Windows98/NT5. ...
www.summitsoftconsulting.com/ConsultingDrivers.htm - 13k - [Cached](#) - [Similar pages](#)

INDI Concepts

... KStars parses the generic XML description of properties and builds a GUI ...
 The device driver updates the property state in real-time when necessary. ...
docs.kde.org/en/3.4/kdeedu/kstars/indi-concepts.html - 7k - Apr 12, 2005 - [Cached](#) - [Similar pages](#)

Omni Printer Driver

... capability of creating new devices by editing the XML descriptions. ...
 50 DeskJet devices (plus some clones) in an internal version of our driver. ...
lwn.net/2001/0517/a/omni020.php3 - 5k - [Cached](#) - [Similar pages](#)

[PDF] <http://sourceforge.net/projects/omniprint/> <http://www.ibm.com> ...
 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... XML device description files. Job **property** interface ... Work with multiple rendering engines shielding the actual **device driver**. from differences ...
sf.gds.tuwien.ac.at/o/ om/omniprint/SanFransisco082801.pdf - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web

Results 1 - 10 of about 92 for load instantiate "device driver" xml script runtime device. (0.22 seconds)

.NET Application Development - Microsoft.Net and SOAP : ASP.NET ...

... thus the **runtime** can **load** different versions of the same assembly for two different ... Network Security, - Content Caching, **Device Driver** Develop. ...
www.cswl.com/whiteppr/white/microsoftnetdoc.html - 78k - [Cached](#) - [Similar pages](#)

[PDF] Outpost/Embedlets Architecture Discussion Document

File Format: PDF/Adobe Acrobat

... generate a custom Ant build.xml **script** for each **device** that needs to be ...
the Embedlets project (similar to the JAPL **device** driver library project), ...
www.embedlets.org/pdfs/Outpost_ArchitectureDiscussionDocument_17.pdf - [Similar pages](#)

Tier Questions Page

... 308019 Win2k **Device** Driver for Thermal Printer. 308020 Sentinel **script** ...
308227 Outputting table data to XFDF and other "atypical" **XML** formats ...
www.experts-exchange.com/T_6160.html - 53k - [Cached](#) - [Similar pages](#)

Glossary and Acronyms for PC and Server Technologies

... Microsoft Windows 95 and Windows 98 virtual **device driver** that is linked ...
The operating system can **load** a class driver that is based on the **device's** ...
www.microsoft.com/whdc/resources/support/glossary.mspx - 414k - [Cached](#) - [Similar pages](#)

[doc] Contents

File Format: Microsoft Word 2000 - [View as HTML](#)

... Windows XP first searches locally for an appropriate **device** driver. ...
security controls which objects a client is allowed to **instantiate**; that is, ...
www.quantrimang.com/download/ebooks/mangxpsp2.doc - [Similar pages](#)

[PDF] VERMONT TECHNICAL COLLEGE Randolph Center, Vermont COURSE OUTLINE ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... understand the concepts in writing a small **device** driver for a specific OS.
... Declare, **instantiate**, and display Windows MFC controls ...
www.ecet.vtc.edu/admin/AEECoutlines.pdf - [Similar pages](#)

[PDF] Developing Embedded Targets for Real-Time Workshop Embedded Coder ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... S-functions is required if you intend to develop **device driver** blocks ...
source directories, and **runtime** library names and module objects to be used in ...
www.mathworks.com/mason/tag/proxy.html?dataid=2841&fileid=9824 - [Similar pages](#)

NullifyNetwork

... Then you should be able to **instantiate** an Outlook object and make requests
... SID=77 ("Error Caused by a **Device** Driver") which is completely useless. ...
www.nullify.net/Default.aspx?role=archive - 217k - [Cached](#) - [Similar pages](#)

Da-Dm

... capable of SOCKSifying most programs at **runtime** without recompilation; ...
ss5136dn: A **device** driver, a set of utility programs, and a function library ...
stommel.tamu.edu/~baum/linuxlist/linuxlist/node13.html - 194k - [Cached](#) - [Similar pages](#)

[doc] [Changes to Functionality in Service Pack 2 for Microsoft Windows XP](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... Some drivers might fail to **load** if PAE is enabled, because the **device** might

... the impact to **device driver** compatibility is expected to be minimal on ...

www.ts2seminars.com/resources/files/Security/WinXPSP2_Documentation.doc - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

load instantiate "device driver" xm [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google